

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1565	((340/451.ccls.) or (340/505.ccls.) or (340/686.1.ccls.)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/07 15:17
S2	9	S1 and ((seat\$2 near2 belt) and (vehicle\$2 or car\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:55
S3	5	S2 and circuit\$3 and spring\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:09
S4	1	S2 and circuit\$3 and spring\$2 and conductor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:10
S5	41	"340"/\$.ccls. and (((seat\$2 or safety) near2 belt) and (vehicle\$2 or car\$2)) and circuit\$3 and spring\$2 and conductor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 13:13
S6	1	S1 and (((seat\$2 or safety) near2 belt) and (vehicle\$2 or car\$2)) and circuit\$3 and spring\$2 and conductor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:12
S7	209	((((seat\$2 or safety) near2 belt) same (vehicle\$2 or car\$2))) and circuit\$3 and spring\$2 and conductor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 15:43
S8	72	S7 and belt.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 15:47
S9	2	S8 and (voltage near5 transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/11 17:14
S10	7	S8 and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:43
S11	4	((("6307473") or ("5030941")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/26 17:43
S12	2	("2003113991").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/27 10:58

S13	417132	((200/\$.ccls.) or (324/207.2.ccls.) or (324/207.15.ccls.) or (24/\$.ccls.) or (340/\$.ccls.)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/03 15:45
S14	19278	S13 and ((leaf adj spring\$2) or leaf or leaf-spring\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:11
S15	291	S14 and belt.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:12
S16	28	S15 and conduct\$4 and circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 16:09
S17	1	S15 and (conduct\$4 near4 loop)and circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 15:52
S18	194	S14 and (conduct\$4 near4 loop)and circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 15:52
S19	1	S16 and induct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 15:56
S20	1	S15 and induct\$4 and circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 15:56
S21	1	S15 and induct\$4 and conduct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 10:21
S22	393	S14 and (belt or buckle).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 16:01
S23	1	S22 and conduct\$4 and induct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/06 10:58
S24	30	S22 and conduct\$4 and circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 16:03
S25	9388	S13 and conduct\$4 and circuit\$4 and induct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 16:03

S26	41	S25 and ((belt\$2 or buckle\$2) near5 seat\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 16:05
S27	512	S25 and (belt\$2 or buckle\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/03 16:06
S28	44	S15 and (conduct\$4 or coil\$2) and circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 12:13
S29	417132	((200/\$.ccls.) or (324/207.2.ccls.) or (324/207.15.ccls.) or (24/\$.ccls.) or (340/\$.ccls.)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/04 12:11
S30	19705	S29 and ((leaf adj spring\$2) or leaf or leaf-spring\$2 or (latch adj spring) or latch-spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 13:56
S31	335	S30 and belt.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 16:41
S32	51	S31 and (conduct\$4 or coil\$2) and circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 16:40
S33	28	("3766612" "4928366" "4984651" "4995640" "5060977" "5109199" "5133425" "5174600" "5406252" "5483221" "5590904" "5672916" "5675134" "5689421" "5742986" "5752986" "5839174" "5898366").PN. OR ("6079744").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 13:36
S34	48799	S29 and ((leaf adj spring\$2) or leaf or leaf-spring\$2 or (latch adj spring) or latch-spring or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 13:56
S35	680	S34 and belt.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 13:57
S36	78	S35 and (conduct\$4 or coil\$2) and circuit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 13:03
S37	2	("6025783").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/04 16:05
S38	2	("6002325").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 09:14

S39	1	"6002325".pn. and conduct\$4 and circuit\$2 and spring\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 16:07
S40	1	S31 and (conduct\$4 near4 loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 16:41
S41	1451	S29 and (conduct\$4 near4 loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 16:41
S42	13	S41 and belt.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/04 16:41
S55	0	"10722931".ad.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 10:12
S56	2	("6626858").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 15:55
S57	4	((("5986549") or ("5256960"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 16:07
S58	2	("3833781").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 16:08
S59	0	S58 and leaf and magnet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 16:10
S61	0	S58 and leaf\$2 and magnet\$4 and spring\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 16:11
S62	1	S58 and leaf\$2 and conduct\$4 and spring\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/05 16:11
S63	682	"340"/\$.ccls. and (evaluation near4 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/06 11:22
S64	2	("4613974").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:58

S65	649	"340"/\$.ccls. and (differentiating near2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/06 13:39
S67	133	"340"/\$.ccls. and ((differentiating near2 circuit) same oscillator\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/06 13:42
S68	8	S67 and (buckle or belt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/06 13:43
S69	86	(magnetic near3 (coupling adj factor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 10:22
S70	40	(magnetic near3 (coupling adj factor)) and sens\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 10:23
S71	1	(magnetic near3 (coupling adj factor)) and (sensor\$2 same planar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 10:24
S72	29	(magnetic near3 (coupling adj factor)) and sensor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 10:57
S73	3	("10125278").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/13 13:38
S75	59	((hall adj effect) or hall-effect) same (change near3 induct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 11:35
S76	210	(((((seat\$2 or safety) near2 belt) same (vehicle\$2 or car\$2))) and circuit\$3 and spring\$2 and conductor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/11 17:18
S77	72	S76 and belt.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/11 17:21
S78	2	S77 and (leaf or leaf-spring or (leaf adj spring)) near10 (ferromagnetic or paramagnetic or diagnetic or steel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/11 17:19
S79	2	S77 and ((leaf or leaf-spring or (leaf adj spring)) near10 (ferromagnetic or paramagnetic or diagnetic or steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/11 17:28

S80	4	S76 and ((leaf or leaf-spring or (leaf adj spring)) near10 (ferromagnetic or paramagnetic or diagnetic or steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/11 17:21
S81	417264	((200/\$.ccls.) or (324/207.2.ccls.) or (324/207.15.ccls.) or (24/\$.ccls.) or (340/\$.ccls.)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:24
S82	2	S77 and ((leaf or leaf-spring or (leaf adj spring) or (latch-spring) or (latch adj spring)) near10 (ferromagnetic or paramagnetic or diagnetic or steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:55
S83	2	S77 and ((leaf or leaf-spring or (leaf adj spring) or (latch-spring) or (latch adj spring)) near10 (ferromagnetic\$4 or paramagnetic\$4 or diagnetic\$4 or steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/11 17:34
S84	8	(("6079744" or ("5960523" or ("6025783" or ("5966784"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:35
S85	29	("3766612" "4928366" "4984651" "4995640" "5060977" "5109199" "5133425" "5174600" "5406252" "5483221" "5590904" "5672916" "5675134" "5689421" "5742986" "5752986" "5839174" "5898366").PN. OR ("6079744").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/11 17:35
S86	32	("3147819" "3766612" "3770919" "4047267" "4103842" "4112408" "4943087" "5032812" "5060977" "5107846" "5406252" "5481078" "5590904" "5742986" "5752299" "5839174").PN. OR ("5966784").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/11 17:37
S87	26	("3338100" "3833781" "4071875" "4984651" "5023408" "5338063" "5347262" "5541574" "5571253" "5605348" "5829782").PN. OR ("6025783").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/11 17:51
S88	47	("4384391" "4785906" "4885566" "4995640" "5133425" "5233732" "5454591" "5474327" "5626359" "5675134" "5742986" "5752299" "5839174").PN. OR ("5960523").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/11 17:52
S89	5929	((leaf or leaf-spring or (leaf adj spring) or (latch-spring) or (latch adj spring)) near10 (ferromagnetic or paramagnetic or diagnetic or steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 11:00
S90	30	S89 and (seat\$2 near2 (belt or buckle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:58
S91	30	S89 and (seat near2 (belt or buckle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:05
S92	40	S89 and ((seat or safety) near2 (belt or buckle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:08

S93	4096	((leaf or leaf-spring or (leaf adj spring) or (latch-spring) or (latch adj spring)) near5 (ferromagnetic or paramagnetic or diagnetic or steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 16:02
S94	31	S93 and ((seat or safety) near2 (belt or buckle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 16:03
S95	4060	((leaf or leaf-spring or (leaf adj spring)) near5 (ferromagnetic or paramagnetic or diagnetic or steel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 16:02
S96	5212	((leaf or leaf-spring or (leaf adj spring)) near5 (ferromagnetic or paramagnetic or diagnetic or steel or iron\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 16:03
S97	16437	((leaf or leaf-spring or (leaf adj spring)) near5 (ferromagnetic or paramagnetic or diagnetic or steel or iron\$4 or metal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 16:05
S98	54	S97 and ((seat or safety) near2 (belt or buckle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 16:05
S99	31572	((leaf or leaf-spring or (leaf adj spring)) near510 (ferromagnetic or paramagnetic or diagnetic or steel or iron\$4 or metal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/12 16:05
S10 0	89	S99 and ((seat or safety) near2 (belt or buckle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 12:57
S10 1	2	("5966784").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/12 16:43
S10 2	0	"5526556".pn. and (tongue near15 (metal or steel or iron))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 12:58
S10 3	2	("6852937").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/13 13:38
S10 4	51	"340"/\$.ccls. and (seat adj2 (belt buckle)) and induct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:21
S10 5	26	"340"/\$.ccls. and ((seat adj2 (belt buckle)) near20 (monitor\$4 sens\$4 detect\$4)) and induct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:22